



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bo

Search PubMed

for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Abstract

Show:

20

Sort

Send to

Text

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

1: Acta Paediatr Jpn 1994 Dec;36(6):613-8

Related Articles, Links

## Biophysical properties of protein-free, totally synthetic pulmonary surfactants, ALEC and Exosurf, in comparison with surfactant TA.

Takahashi A, Nemoto T, Fujiwara T.

Department of Pediatrics, Iwate Medical University, School of Medicine, Morioka, Japan.

An artificial pulmonary surfactant prepared from chloroform-methanol extract of bovine pulmonary surfactant (surfactant TA) has been shown to be effective in both the prevention and the treatment of respiratory distress syndrome in premature babies. Recently, two types of protein-free totally synthetic surfactants, artificial lung expanding compound (ALEC) and Exosurf, have been evaluated in clinical trials of surfactant therapy. Artificial lung expanding compound was used initially as a dry powder, but is now prepared as a crystalline suspension in saline at 4 degrees C. In this study we compared the biophysical properties of three different forms of ALEC (dry powder, crystalline suspension at 4 degrees C and 37 degrees C), Exosurf and surfactant TA (Surfacten) using a modified Wilhelmy surface balance and a pulsating bubble surfactometer. Surface activity of a crystalline suspension of ALEC in cold saline was no better than the dry powder of ALEC. Surfactant activity of ALEC was improved by addition of hydrophobic surfactant protein B and C (SP-B, SP-C) which are important constituents of surfactant TA. Surface properties of ALEC in any form and Exosurf were not superior to those of surfactant TA. These results suggest that a surfactant which contains SP-B and SP-C does not necessarily have to be dry or crystalline for an effective exogenous surfactant.

PMID: 7871968 [PubMed - indexed for MEDLINE]

Display

Abstract

Show:

20

Sort

Send to

Text

Write to the Help Desk

NCBI | NLM | NIH

4-1,2,3,4,5,6,7  
8,9,10,11,  
13,14,15,16,17  
18,19,20,21  
22-26